ELSEVIER

Brain Research 725 (1996) 284–285

BRAIN RESEARCH

Author Index

Abudara, V. and Eyzaguirre, C.
Effects of calcium on the electric coupling of carotid body glomus cells (725) 125
Asin, K.E., Bednarz, L. and Nikkel, A.L.
MK-801 differentially affects dopamine D1 and D2 receptor agonist-induced behavioral tolerance and desensitization (725) 67

Bedingfield, J.B., see Karler, R. (725) 192
Bednarz, L., see Asin, K.E. (725) 67
Behan, D.P., Khongsaly, O., Ling, N. and De Souza, E.B.
Urocortin interaction with corticotropin-releasing factor (CRF) binding protein (CRF-BP): a novel mechanism for elevating 'free' CRF levels in human brain (725) 263
Belknap, J.K., see Quock, R.M. (725) 23
Bennett Jr., J.P., see Trugman, J.M. (725) 177
Bergervoet-Vernooij, I.W.M., see Curfs, M.H.J.M. (725) 88
Brent, P.J.
Kappa opioid receptor agonists inhibit sigma-1 (σ_1) receptor binding in guinea-pig brain, liver and spleen: autoradiographical evidence (275) 155
Brown, T.J., Yu, J., Gagnon, M., Sharma, M. and MacLusky, N.J.
Sex differences in estrogen receptor and progestin receptor induction in the guinea pig hypothalamus and preoptic area (725) 37

Calder, L.D., see Karler, R. (725) 192
Carroll, P.T.
Evidence to suggest that cytosolic acetylcholine in rat hippocampal nerve terminals is not directly transferred into synaptic vesicles for release (725) 3
Chai, S.Y., see Moeller, I. (725) 61
Chase, T.N., see Qin, Z.-H. (725) 166
Chen, C.-C. and Chen, W.-C.
Increased protein kinase C isoform γ in the hippocampus of pentylenetetrazol-induced chemoshocked mouse (725) 75
Chen, W.-C., see Chen, C.-C. (725) 75
Chiappinelli, V.A., see Weaver, W.R. (725) 95
Christofi, F.L., Guan, Z., Lucas, J.H., Rosenberg-Schaffer, L.J. and Stokes, B.T.
Responsiveness to ATP with an increase in intracellular free Ca^{2+} is not a distinctive feature of calbindin-D_{28} immunoreactive neurons in myenteric ganglia (725) 241
Ciani, F., see Franceschini, V. (725) 81
Cierpial, M.A., see Scott, P.A. (725) 217
Crutcher, K.A., see Tian, X. (725) 111
Curfs, M.H.J.M., Gribnau, A.A.M., Dederen, P.J.W.C. and Bergervoet-Vernooij, I.W.M.
Induction of c-*fos* expression in cervical spinal interneurons after kainate stimulation of the motor cortex in the rat (725) 88

Dederen, P.J.W.C., see Curfs, M.H.J.M. (725) 88
Demura, H., see Yamada, K. (725) 272
Deng, Y.-P., Li, X.-S., Zhang, S.-H. and Vacca-Galloway, L.-L.
Changes in receptor levels for thyrotropin releasing hormone, serotonin, and substance P in cervical spinal cord of Wobbler mouse: a quantitative autoradiography study during early and late stages of the motoneuron disease (725) 49
De Souza, E.B., see Behan, D.P. (725) 263

Ebert, U., see Löscher, W. (725) 252
Eyzaguirre, C., see Abudara, V. (725) 125

Farber, H.T.
Chlordiazepoxide improves the performance of septal lesioned but not hippocampal lesioned animals in a Morris maze (725) 257
Franceschini, V., Lazzari, M. and Ciani, F.
Identification of surface glycoconjugates in the olfactory system of turtle (725) 81
Fujikawa, D.G.
The temporal evolution of neuronal damage from pilocarpine-induced status epilepticus (725) 11
Fukuda, Y., see Wakabayashi, T. (725) 121

Gagnon, M., see Brown, T.J. (725) 37
Grafe, P., see Wächtler, J. (725) 30
Graham, D.I., see MacGregor, D.G. (725) 115
Gribnau, A.A.M., see Curfs, M.H.J.M. (725) 88
Guan, Z., see Christofi, F.L. (725) 241
Gwinn, R., see Pearigen, P. (725) 184

Harding, J.W., see Moeller, I. (725) 61
Heller, A., Price, S. and Won, L.
Glial-derived neurotrophic factor (GDNF) induced morphological differentiation of an immortalized monoclonal hybrid dopaminergic cell line of mesencephalic neuronal origin (725) 132
Hotta, M., see Yamada, K. (725) 272
Hubbard, C.A., see Trugman, J.M. (725) 177

Illnerová, H., see Sumová, A. (725) 281
Imaki, T., see Yamada, K. (725) 272

Jones, P.A., see MacGregor, D.G. (725) 115

Karler, R., Calder, L.D. and Bedingfield, J.B.
A novel nicotinic-cholinergic role in behavioral sensitization to amphetamine-induced stereotypy in mice (725) 192
Khongsaly, O., see Behan, D.P. (725) 263
Kilts, C.D., see Scott, P.A. (725) 217
Kim, J.S. and Levin, E.D.
Nicotinic, muscarinic and dopaminergic actions in the ventral hippocampus and the nucleus accumbens: effects on spatial working memory in rats (725) 231
Kosaka, J., see Wakabayashi, T. (725) 121
Krug, M., see Matthies, H. (725) 276

Lagrange, P., see Livertoux, M.-H. (725) 207
Lawhorn, G.T., see Ross, J.F. (725) 137
Lazzari, M., see Franceschini, V. (725) 81
Lehmann, H., see Löscher, W. (725) 252
Levin, E.D., see Kim, J.S. (725) 231
Li, H.-B., Matsumoto, K., Tohda, M., Yamamoto, M. and Watanabe, H.
NMDA- but not AMPA-receptor antagonists augment scopolamine-induced spatial cognitive deficit of rats in a radial maze task (725) 268
Li, X.-S., see Deng, Y.-P. (725) 49
Ling, N., see Behan, D.P. (725) 263
Livertoux, M.-H., Lagrange, P. and Minn, A.
The superoxide production mediated by the redox cycling of xenobiotics in rat brain microsomes is dependent on their reduction potential (725) 207
Löscher, W., Ebert, U. and Lehmann, H.
Kindling induces a lasting, regionally selective increase of kynurenic acid in the nucleus accumbens (725) 252
Lucas, J.H., see Christofi, F.L. (725) 241

MacGregor, D.G., Jones, P.A., Maxwell, W.L., Graham, D.I. and Stone, T.W.
Prevention by a purine analogue of kainate-induced neuropathology in rat hippocampus

ELSEVIER

Brain Research 725 (1996) 284–285

BRAIN RESEARCH

Author Index

Abudara, V. and Eyzaguirre, C.
Effects of calcium on the electric coupling of carotid body glomus cells (725) 125
Asin, K.E., Bednarz, L. and Nikkel, A.L.
MK-801 differentially affects dopamine D1 and D2 receptor agonist-induced behavioral tolerance and desensitization (725) 67

Bedingfield, J.B., see Karler, R. (725) 192
Bednarz, L., see Asin, K.E. (725) 67
Behan, D.P., Khongsaly, O., Ling, N. and De Souza, E.B.
Urocortin interaction with corticotropin-releasing factor (CRF) binding protein (CRF-BP): a novel mechanism for elevating 'free' CRF levels in human brain (725) 263
Belknap, J.K., see Quock, R.M. (725) 23
Bennett Jr., J.P., see Trugman, J.M. (725) 177
Bergervoet-Vernooij, I.W.M., see Curfs, M.H.J.M. (725) 88
Brent, P.J.
Kappa opioid receptor agonists inhibit sigma-1 (σ_1) receptor binding in guinea-pig brain, liver and spleen: autoradiographical evidence (275) 155
Brown, T.J., Yu, J., Gagnon, M., Sharma, M. and MacLusky, N.J.
Sex differences in estrogen receptor and progestin receptor induction in the guinea pig hypothalamus and preoptic area (725) 37

Calder, L.D., see Karler, R. (725) 192
Carroll, P.T.
Evidence to suggest that cytosolic acetylcholine in rat hippocampal nerve terminals is not directly transferred into synaptic vesicles for release (725) 3
Chai, S.Y., see Moeller, I. (725) 61
Chase, T.N., see Qin, Z.-H. (725) 166
Chen, C.-C. and Chen, W.-C.
Increased protein kinase C isoform γ in the hippocampus of pentylenetetrazol-induced chemoshocked mouse (725) 75
Chen, W.-C., see Chen, C.-C. (725) 75
Chiappinelli, V.A., see Weaver, W.R. (725) 95
Christofi, F.L., Guan, Z., Lucas, J.H., Rosenberg-Schaffer, L.J. and Stokes, B.T.
Responsiveness to ATP with an increase in intracellular free Ca^{2+} is not a distinctive feature of calbindin-D_{28} immunoreactive neurons in myenteric ganglia (725) 241
Ciani, F., see Franceschini, V. (725) 81
Cierpial, M.A., see Scott, P.A. (725) 217
Crutcher, K.A., see Tian, X. (725) 111
Curfs, M.H.J.M., Gribnau, A.A.M., Dederen, P.J.W.C. and Bergervoet-Vernooij, I.W.M.
Induction of c-*fos* expression in cervical spinal interneurons after kainate stimulation of the motor cortex in the rat (725) 88

Dederen, P.J.W.C., see Curfs, M.H.J.M. (725) 88
Demura, H., see Yamada, K. (725) 272
Deng, Y.-P., Li, X.-S., Zhang, S.-H. and Vacca-Galloway, L.-L.
Changes in receptor levels for thyrotropin releasing hormone, serotonin, and substance P in cervical spinal cord of Wobbler mouse: a quantitative autoradiography study during early and late stages of the motoneuron disease (725) 49
De Souza, E.B., see Behan, D.P. (725) 263

Ebert, U., see Löscher, W. (725) 252
Eyzaguirre, C., see Abudara, V. (725) 125

Farber, H.T.
Chlordiazepoxide improves the performance of septal lesioned but not hippocampal lesioned animals in a Morris maze (725) 257
Franceschini, V., Lazzari, M. and Ciani, F.
Identification of surface glycoconjugates in the olfactory system of turtle (725) 81
Fujikawa, D.G.
The temporal evolution of neuronal damage from pilocarpine-induced status epilepticus (725) 11
Fukuda, Y., see Wakabayashi, T. (725) 121

Gagnon, M., see Brown, T.J. (725) 37
Grafe, P., see Wächtler, J. (725) 30
Graham, D.I., see MacGregor, D.G. (725) 115
Gribnau, A.A.M., see Curfs, M.H.J.M. (725) 88
Guan, Z., see Christofi, F.L. (725) 241
Gwinn, R., see Pearigen, P. (725) 184

Harding, J.W., see Moeller, I. (725) 61
Heller, A., Price, S. and Won, L.
Glial-derived neurotrophic factor (GDNF) induced morphological differentiation of an immortalized monoclonal hybrid dopaminergic cell line of mesencephalic neuronal origin (725) 132
Hotta, M., see Yamada, K. (725) 272
Hubbard, C.A., see Trugman, J.M. (725) 177

Illnerová, H., see Sumová, A. (725) 281
Imaki, T., see Yamada, K. (725) 272

Jones, P.A., see MacGregor, D.G. (725) 115

Karler, R., Calder, L.D. and Bedingfield, J.B.
A novel nicotinic-cholinergic role in behavioral sensitization to amphetamine-induced stereotypy in mice (725) 192
Khongsaly, O., see Behan, D.P. (725) 263
Kilts, C.D., see Scott, P.A. (725) 217
Kim, J.S. and Levin, E.D.
Nicotinic, muscarinic and dopaminergic actions in the ventral hippocampus and the nucleus accumbens: effects on spatial working memory in rats (725) 231
Kosaka, J., see Wakabayashi, T. (725) 121
Krug, M., see Matthies, H. (725) 276

Lagrange, P., see Livertoux, M.-H. (725) 207
Lawhorn, G.T., see Ross, J.F. (725) 137
Lazzari, M., see Franceschini, V. (725) 81
Lehmann, H., see Löscher, W. (725) 252
Levin, E.D., see Kim, J.S. (725) 231
Li, H.-B., Matsumoto, K., Tohda, M., Yamamoto, M. and Watanabe, H.
NMDA- but not AMPA-receptor antagonists augment scopolamine-induced spatial cognitive deficit of rats in a radial maze task (725) 268
Li, X.-S., see Deng, Y.-P. (725) 49
Ling, N., see Behan, D.P. (725) 263
Livertoux, M.-H., Lagrange, P. and Minn, A.
The superoxide production mediated by the redox cycling of xenobiotics in rat brain microsomes is dependent on their reduction potential (725) 207
Löscher, W., Ebert, U. and Lehmann, H.
Kindling induces a lasting, regionally selective increase of kynurenic acid in the nucleus accumbens (725) 252
Lucas, J.H., see Christofi, F.L. (725) 241

MacGregor, D.G., Jones, P.A., Maxwell, W.L., Graham, D.I. and Stone, T.W.
Prevention by a purine analogue of kainate-induced neuropathology in rat hippocampus

(725) 115
MacLusky, N.J., see Brown, T.J. (725) 37
Matsumoto, K., see Li, H.-B. (725) 268
Matthies, H., Staak, S. and Krug, M.
Fucose and fucosyllactose enhance in-vitro hippocampal long-term potentiation (725) 276
Maxwell, W.L., see MacGregor, D.G. (725) 115
Mayer, C., see Wächtler, J. (725) 30
Mendelsohn, F.A.O., see Moeller, I. (725) 61
Minn, A., see Livertoux, M.-H. (725) 207
Moeller, I., Small, D.H., Reed, G., Harding, J.W., Mendelsohn, F.A.O. and Chai, S.Y.
Angiotensin IV inhibits neurite outgrowth in cultured embryonic chicken sympathetic neurones (725) 61
Mueller, J.L., see Quock, R.M. (725) 23

Nikkel, A.L., see Asin, K.E. (725) 67

Pearigen, P., Gwinn, R. and Simon, R.P.
The effects in vivo of hypoxia on brain injury (725) 184
Pickard, G.E., see Pu, M. (725) 247
Poston, M.R., see Ross, J.F. (725) 137
Price, S., see Heller, A. (725) 132
Pu, M. and Pickard, G.E.
Ventral lateral geniculate nucleus afferents to the suprachiasmatic nucleus in the cat (725) 247

Qin, Z.-H., Wang, Y. and Chase, T.N.
Stimulation of *N*-methyl-D-aspartate receptors induces apoptosis in rat brain (725) 166
Quock, R.M., Mueller, J.L., Vaughn, L.K. and Belknap, J.K.
Nitrous oxide antinociception in BXD recombinant inbred mouse strains and identification of quantitative trait loci (725) 23

Reed, G., see Moeller, I. (725) 61
Rosenberg-Schaffer, L.J., see Christofi, F.L. (725) 241
Ross, J.F., Switzer, R.C., Poston, M.R. and Lawhorn, G.T.
Distribution of bismuth in the brain after intraperitoneal dosing of bismuth subnitrate in mice: Implications for routes of entry of xenobiotic metals into the brain (725) 137
Rucker, F., see Wächtler, J. (725) 30

Scott, P.A., Cierpial, M.A., Kilts, C.D. and Weiss, J.M.
Susceptibility and resistance of rats to stress-induced decreases in swim-test activity: a selective breeding study (725) 217
Scott, S.A., see Tian, X. (725) 111
Shapiro, E. and Wieraszko, A.
Comparative, in vitro, studies of hippocampal tissue from homing and non-homing pigeon (725) 199
Sharma, M., see Brown, T.J. (725) 37
Shibasaki, T., see Yamada, K. (725) 272
Simon, R.P., see Pearigen, P. (725) 184
Small, D.H., see Moeller, I. (725) 61
Staak, S., see Matthies, H. (725) 276
Stokes, B.T., see Christofi, F.L. (725) 241
Stone, T.W., see MacGregor, D.G. (725) 115
Sumová, A. and Illnerová, H.
Endogenous melatonin signal does not mediate the effect of photoperiod on the rat suprachiasmatic nucleus (725) 281
Switzer, R.C., see Ross, J.F. (725) 137

Tian, X., Scott, S.A., Weingartner, J. and Crutcher, K.A.
Enhanced sympathetic neurite outgrowth on rat hippocampal tissue sections following septal lesions (725) 111
Tohda, M., see Li, H.-B. (725) 268
Tortorici, V., Vásquez, E. and Vanegas, H.
Naloxone partial reversal of the antinociception produced by dipyrone microinjected into the periaqueductal gray of rats. Possible involvement of medullary off- and on-cells (725) 106
Trugman, J.M., Hubbard, C.A. and Bennett Jr., J.P.
Dose-related effects of continuous levodopa infusion in rats with unilateral lesions of the substantia nigra (725) 177
Tsumori, C., see Yamada, K. (725) 272

Vacca-Galloway, L.-L., see Deng, Y.-P. (725) 49
Vanegas, H., see Tortorici, V. (725) 106
Vásquez, E., see Tortorici, V. (725) 106
Vaughn, L.K., see Quock, R.M. (725) 23

Wächtler, J., Mayer, C., Rucker, F. and Grafe, P.
Glucose availability alters ischaemia-induced changes in intracellular pH and calcium of isolated rat spinal roots (725) 30
Wakabayashi, I., see Yamada, K. (725) 272
Wakabayashi, T., Fukuda, Y. and Kosaka, J.
Monoclonal antibody C38 labels surviving retinal ganglion cells after peripheral nerve graft in axotomized rat retina (725) 121
Wang, Y., see Qin, Z.-H. (725) 166
Watanabe, H., see Li, H.-B. (725) 268
Weaver, W.R. and Chiappinelli, V.A.
Single-channel recording in brain slices reveals heterogeneity of nicotinic receptors on individual neurons within the chick lateral spiriform nucleus (725) 95
Weingartner, J., see Tian, X. (725) 111
Weiss, J.M., see Scott, P.A. (725) 217
Wieraszko, A., see Shapiro, E. (725) 199
Won, L., see Heller, A. (725) 132

Yamada, K., Shibasaki, T., Tsumori, C., Imaki, T., Hotta, M., Wakabayashi, I. and Demura, H.
Neuropeptide Y reverses corticotropin-releasing hormone- and psychological stress-caused shortening of sodium pentobarbital-induced sleep in rats (725) 272
Yamamoto, M., see Li, H.-B. (725) 268
Yu, J., see Brown, T.J. (725) 37

Zhang, S.-H., see Deng, Y.-P. (725) 49